From: Smith, Charles

**Sent:** 02/21/2012 10:54:03 AM

To: Vialle, George CC: Kieran, Damian

Subject: FW: Shipment of Marlex Resin from China -

Export Options

FYI

----Original Message-----From: Smith, Charles

Sent: Tuesday, February 21, 2012 8:22 AM

To: Zhao, Ying (STP)

Subject: RE: Shipment of Marlex Resin from China - Export Options

Mike

I will talk to others here in next few days, thks

## Charlie

----Original Message-----From: Zhao, Ying (STP)

Sent: Tuesday, February 21, 2012 2:15 AM

To: Smith, Charles

Subject: RE: Shipment of Marlex Resin from China - Export Options

## Hi, Charles:

I have talked to a few parties here who handle shipment. Everyone says that the chance of being audited is very low. And it should not be a problem most likely. But of course no one will make a guarantee. My suggestion is split the material, maybe 2~3 tons each time and ship them out separately. This way, amount is small and there is very low chance to be inspected. We can do multiple shipments to get them all out

Pls discuss with the members and let me know if we want to move forward. Again, this is the easiest way to get them out.

Best Regards,
Michael Zhao
Supplier Management Asia
Cardiac Rhythm Management
Boston Scientific Corp.
Email: ying.zhao@bsci.com
Office: 86-21-61419708
Cell: Redacted

Unit 4701, Raffles City, No. 268 Xizang Middle Road, Shanghai, China 200001

----Original Message-----From: Smith, Charles

Sent: Friday, February 17, 2012 9:04 PM



To: Zhao, Ying (STP) Cc: Kieran, Damian

Subject: RE: Shipment of Marlex Resin from China - Export Options

Importance: High

Mike

thks. I will follow-up on our end.

Thks

Charlie

----Original Message-----From: Zhao, Ying (STP)

Sent: Friday, February 17, 2012 7:50 AM

To: Smith, Charles

Subject: RE: Shipment of Marlex Resin from China - Export Options

Hi, Charles:

No, actually no one has answered me on that. We still have our material in the storage here, I went to check a couple of weeks ago, it is in good condition. The distributor has taken good care of it. I think at least we don't need to worry about its condition while we look for a solution.

Best Regards,
Michael Zhao
Supplier Management Asia
Cardiac Rhythm Management
Boston Scientific Corp.
Email: ying.zhao@bsci.com
Office: 86-21-61419708
Cell: Redacted
Unit 4701, Raffles City,
No. 268 Xizang Middle Road,
Shanghai, China 200001

----Original Message-----From: Smith, Charles

Sent: Friday, February 17, 2012 4:53 AM

To: Zhao, Ying (STP)

Subject: RE: Shipment of Marlex Resin from China - Export Options

Have you heard back from anyone state side yet?

----Original Message-----From: Zhao, Ying (STP)

Sent: Tuesday, January 24, 2012 10:41 AM

To: Kieran, Damian; Smith, Charles

Cc: du Halgouet, Tanguy

Subject: RE: Shipment of Marlex Resin from China - Export Options

hi, Damian:

I checked with the forwarder you recommended, they can't do it either.

Only option now is to get this material waived, contact the attorney and find a way to get this material out in a legal/formal way.

I have sent email out asking for the contact info but I have not received any answer yet. If you could, pls let me know how to contact the attorney and I will follow up.

Thanks and Regards, Michael Zhao

From: Kieran, Damian

Sent: Tuesday, January 24, 2012 7:39 AM To: Zhao, Ying (STP); Smith, Charles

Cc: du Halgouet, Tanguy

Subject: RE: Shipment of Marlex Resin from China - Export Options

Hi Michael.

Can you provide status on getting this resin moved out of China? Anything we can do to help?

Thanks, Damian

----Original Message-----From: Zhao, Ying (STP)

Sent: Tuesday, January 03, 2012 11:22 AM

To: Smith, Charles; Kieran, Damian

Cc: du Halgouet, Tanguy

Subject: RE: Shipment of Marlex Resin from China - Export Options

I remember it is about \$500 per month, something like that. We will pay through a PO, the way we purchased the material. BSC China pays first, then cross charge to you.

I will confirm the details with distributor once I get back to China in mid of Jan. I am on vacation these 2 weeks.

Regards, Michael