

**From:** Horton, Peter  
**Sent:** 08/01/2011 10:04:32 AM  
**To:** Ciulla, Ron  
**Subject:** FW: Resin Usage - Marlex resin stock  
**Attachments:** image003.jpg; image004.jpg; image005.jpg

Peter Horton | Boston Scientific | O: 508.683.4151 | C: **Redacted**

*"I improve the Quality of Patient Care and all things Boston Scientific"*

The information in this email (including any attachments) may be privileged and/or confidential and is intended only for the recipient(s) listed above. Any use, disclosure, distribution or copying of this email is prohibited except by or on behalf of the intended recipient. If you have received this email in error, please notify me immediately and destroy all copies of the transmittal.

---

**From:** Dean King [mailto:Dean.King@proxybiomedical.com]  
**Sent:** Friday, July 29, 2011 6:53 AM  
**To:** Horton, Peter  
**Subject:** RE: Resin Usage - Marlex resin stock

Hi Peter,

Please find inventory on hand details below.

Regards,

Dean

**Marlex Resin on hand, by location (Luxilon, AIM, etc.) – 700lbs approx of resin on hand at Luxilon**

**Marlex Resin on hand with blue colorant - No Marlex Resin on hand with blue colorant, blue pigment added at time of extrusion**

Page 1 of 7

**EXHIBIT**  
**11B**

CONFIDENTIAL  
BSCM13800009697

4 Mil Fiber on hand, by location – **Pinnacle Mesh, sufficient material on hand to build orders through to October 2011. Will need to place extrusion order at luxilon by end of August 2011**

4 Mil Fiber on hand, by location – **Pinnacle Lite Mesh, sufficient material on hand to build orders through to year end 2012. Based on current forecast**

6 Mil Fiber on hand, by location – **Advantage Mesh, sufficient material on hand to build orders through to February 2012.**

Blue Fiber by location – **Advantage Blue Mesh – N/A – Development material on hand only.**

4Mil Uncut mesh on hand, by location – **N/A Build to Order from Med-venture**

6Mil Uncut mesh on hand, by location - **N/A Build to Order from Med-venture**

Cut Blue mesh by product code - **N/A Build to Order from Med-venture**

4Mil cut mesh by product code - **N/A Build to Order from Med-venture**

6Mil cut mesh by product code - **N/A Build to Order from Med-venture**

logo2

**Dean King** | Senior Project Engineer | Proxy Biomedical Limited.

Tel. +353 (0) 91 896905 | Fax: +353 (0) 91 896901 | Mobile **Redacted**

Coilleach | Spiddal | Co. Galway, Ireland | <http://www.proxybiomedical.com>

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and delete the material from any computer.

**From:** Horton, Peter [mailto:Peter.Horton@bsci.com]  
**Sent:** 27 July 2011 22:43  
**To:** Smith, Charles; Dean King  
**Subject:** RE: Resin Usage - Marlex resin stock

Dean:

Any update on resign supply by product code for the following?

Marlex Resin on hand, by location (Luxilon, AIM, etc.)

Marlex Resin on hand with blue colorant

4 Mil Fiber on hand, by location

6 Mil Fiber on hand, by location

Blue Fiber by location

4Mil Uncut mesh on hand, by location

6Mil Uncut mesh on hand, by location

Cut Blue mesh by product code

4Mil cut mesh by product code

6Mil cut mesh by product code

I have the info from MedVenture side on mesh by product (per spread sheet).

Peter Horton | Boston Scientific | O: 508.683.4151 | C: **Redacted**

*"I improve the Quality of Patient Care and all things Boston Scientific"*

The information in this email (including any attachments) may be privileged and/or confidential and is intended only for the recipient(s) listed above. Any use, disclosure, distribution or copying of this email is prohibited except by or on behalf of the intended recipient. If you have received this email in error, please notify me immediately and destroy all copies of the transmittal.

---

**From:** Horton, Peter  
**Sent:** Tuesday, July 12, 2011 10:34 AM  
**To:** Smith, Charles; Dean King  
**Subject:** RE: Resin Usage - Marlex resin stock

Charlie: Per our discussion, mix of pinnacle lite and pinnacle legacy is still being determined - we may not have that by end of day. The aggregate number in the forecast for pinnacle should not change too much.

Dean: I spoke with MedVenture for the non-Pinnacle product they get 25 strips per sheet. I added that to the spreadsheet if it helps.

Peter Horton | Boston Scientific | O: 508.683.4151 | C: **Redacted**

*"I improve the Quality of Patient Care and all things Boston Scientific"*

The information in this email (including any attachments) may be privileged and/or confidential and is intended only for the recipient(s) listed above. Any use, disclosure, distribution or copying of this email is prohibited except by or on behalf of the intended recipient. If you have received this email in error, please notify me immediately and destroy all copies of the transmittal.

---

**From:** Smith, Charles  
**Sent:** Tuesday, July 12, 2011 9:37 AM  
**To:** Horton, Peter; Dean King  
**Subject:** RE: Resin Usage - Marlex resin stock

so we will have current number and with change in needing Pinnacle light for US. Have there been any other majors shifts in numbers??

---

**From:** Horton, Peter  
**Sent:** Tuesday, July 12, 2011 9:35 AM  
**To:** Dean King  
**Cc:** Smith, Charles  
**Subject:** Resin Usage - Marlex resin stock

Dean:

We are looking to get an estimated run out date for the Marlex Resin stock. I am attaching our forecast that has been provided to MedVenture (1) and Proxy Requirements for M0068402400, 2401, and 2410. All forecasts are in EACHES.

We hope that you can provide an estimate on the resin run out. There is a Senior Staff meeting tomorrow in which that data will be asked for.

Let me know if there is anything you need from our side.

-Peter

Peter Horton | Boston Scientific | O: 508.683.4151 | C: **Redacted**

*"I improve the Quality of Patient Care and all things Boston Scientific"*

The information in this email (including any attachments) may be privileged and/or confidential and is intended only for the recipient(s) listed above. Any use, disclosure, distribution or copying of this email is prohibited except by or on behalf of the intended recipient. If you have received this email in error, please notify me immediately and destroy all copies of the transmittal.

EACHES		BSC PIC	MedVenture	MedVenture	FORECAST							
MedVenture		Revs On Hand	On Hand	On Order	Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12
1	PRR KA - Pinnacle Anterior Apical	4ml clear	25	500	450	385	360	370	325	235	205	255
2	PRR KA - Pinnacle Posterior	4ml clear	41	175	550	405	420	385	405	255	135	545
3	PRR KA - Pinnacle Lysol	4ml clear	3	250	550	857	955	895	895	845	1,045	1,285
4	PRR KA - Pinnacle Lysol	4ml clear	51	185	550	25	35	15	35	35	45	35
5	PRR KA Pinnacle LITE Anterior Apical	4ml blue	31	-	-	20	25	30	40	50	50	50
6	PRR KA Lysol LITE Vaginal Supp System	4ml blue	33	-	-	20	25	30	40	50	50	50
7	PRR KA Pinnacle LITE Posterior	4ml blue	23	-	-	10	15	25	35	40	40	40
8	PRR KA LITE - Pinnacle Dual	4ml blue	-	-	-	-	-	-	-	-	-	-
			150 sheets									
			25 sheets per sheet	500 sheets								
9	Solys	5ml clear	45	-	540	505	10-1	985	1035	825	1235	375
10	Acornwe FII	5ml clear	25	-	1105	1165	1225	1235	1315	1115	1085	885
11	Acornwe Lysol	5ml clear	55	-	455	555	525	755	725	715	755	725
12	Lynx	5ml clear	55	-	760	745	825	795	885	775	985	775
13	Obtynx Curved	5ml clear	55	-	0	450	910	1,425	1,485	1,165	1,095	915
14	Obtynx Halo	5ml clear	35	-	1,560	1,782	1,650	2,050	2,375	1,780	1,580	1,590
15	Solys Mesh Sample	5ml clear	-	-	-	150	-	-	150	-	-	150
16	Acornwe Mesh Sample	5ml clear	-	-	-	50	-	-	50	-	-	50
17	Pinnacle Lysol	4ml clear	-	-	-	500	-	-	500	-	-	500
18	NUMERICAL MTC est. 25 sheets per sheet				150	203	215	250	269	224	241	234
19												
20												
21												
22	Proxy											
23	Polyform Synthetic Mesh 10 cm x 15 cm	4ml clear			30	70	105	55	85	65	60	40
24	Polyform Synthetic Mesh (5/box)	4ml clear			25	25	0	25	75	0	25	50
25	Polyform Synthetic Mesh 15cm X 20 cm	4ml clear			15	5	20	25		10	5	15
26					195.64	234.72	256.32	288.96				
27												
28												

	A	B	C	D	E	F	G	H	I	J	K
1	EACHES		BSC PG Days On Hand	MedVenture On Hand	MedVenture On Order						
2	MedVenture	ML				Aug-11	Sep-11	Oct-11	Nov-11	Dec-11	Jan-12
3	PFR Kit - Pinnacle Anterior Apical	4ml clear	26	183	420		365	360	370	335	238
4	PFR Kit - Pinnacle Posterior	4ml clear	41	173	820	405	431	364	349	405	242
5	PFR Kit - Pinnacle Uphold	4ml clear	31	250	680	667	645	584	856	846	1,048
6	PFR Kit - Pinnacle Duet	4ml clear	61	185		25	39	21	26	45	29
7	PFR Kit Pinnacle LITE Anterior /Apical	4ml blue	33	-	-	20	25	30	40	50	50
8	PFR Kit Uphold LITE Vaginal Supp System	4ml blue	33	-	-	20	25	30	40	50	50
9	PFR Kit Pinnacle LITE Posterior	4ml blue	33	-	-	10	10	25	35	40	40
10	PFR Kit LITE - Pinnacle Duet	4ml blue	-	-	-						
11	Solix	6ml clear	45	195 sheets	306 sheets	842	906	1011	989	1035	821
12	Advantage DU	6ml clear	43			1139	1162	1225	1225	1395	1133
13	Advantage Legacy	6ml clear	44			355	795	756	735	845	738
14	Lynx	6ml clear	59			760	745	829	790	885	775
15	Obryx Curved	6ml clear	55			0	450	910	1,425	1,485	1,165
16	Obryx Halo	6ml clear	35			1,560	1,762	1,690	2,050	2,375	1,780
17	Soft & Moist Sponges	6ml clear					600			600	
18	PA20 Mesh Sponges	6ml clear					50			50	
19	Pinnacle T-Lot	4ml clear					60			60	
20	Proxy										
21	Polyform Synthetic Mesh 10 cm x 15 cm	4ml clear				10	70	105	85	85	65
22	Polyform Synthetic Mesh (5/box)	4ml clear				25	25	0	25	75	0
23	Polyform Synthetic Mesh 15cm X 20 cm	4ml clear				15	5	20	25		10
24											
25											
26											
27		Total 4ML Clear			eaches	1,347	2,143	1,770	1,754	2,095	1,623
28		Total 4ML Blue			eaches	50	65	85	115	140	140
29		Total 6ML			eaches	4,916	6,068	6,383	7,224	8,261	6,422
30											

CONFIDENTIAL  
BSCM13800009705