

From: Ciulla, Ron
Sent: 12/06/2010 10:49:15 AM
To: Kenneth G Penkala; Smith, Charles
CC: Yim Jenkins, Kristina
Subject: RE: URGENT: Marlex Replacement

Ken:

It is around 1,200 lbs per year.

Regards,

Ronald Ciulla
Urology & Gynecology R&D
Boston Scientific Corporation
100 Boston Scientific Way
Marlborough, MA 01752
Phone (508) 683-6380

From: Kenneth G Penkala [mailto:kgpenkala@ashland.com]
Sent: Monday, December 06, 2010 10:41 AM
To: Smith, Charles
Cc: Ciulla, Ron
Subject: RE: URGENT: Marlex Replacement

I will ask FHR. What is the annual volume for this resin currently?

Ken Penkala
Ashland Distribution- Plastics
Corporate Account Manager
108 Witch Hazel Drive
Deep River, CT 06417

860-526-8364 office
860-388-7866 cell
859-357-6599 FAX

"Smith, Charles" <Charlie.Smith@bsci.com>

12/06/2010 09:39 AM

Kenneth G Penkala/Corp Accts/ADC/Ashland@Ashland

To



CONFIDENTIAL
BSCM13800009673

"Ciulla, Ron" <Ron.Ciulla@bsci.com>

cc

RE: URGENT: Marlex Replacement

Subject

long term; never pulled out used for sling and pelvic floor repair for women; see link:

http://www.bostonscientific.com/MedicalArea.bsci/./navRelId/1000.1001/method/MEDICAL_AREA_DETAIL/id/10000261/seo.serve

and specifically:

http://www.bostonscientific.com/Device.bsci?page=HCP_Overview&navRelId=1000.1003&method=DevDetailHCP&id=10005161&pageDisclaimer=Disclaimer.ProductPage

From: Kenneth G Penkala [mailto:kgpenkala@ashland.com]

Sent: Monday, December 06, 2010 9:34 AM

To: Smith, Charles

Cc: Ciulla, Ron

Subject: RE: URGENT: Marlex Replacement

Please describe the application and how long is it implanted? I will have to see if FHR will approve.

Ken Penkala
Ashland Distribution- Plastics
Corporate Account Manager
108 Witch Hazel Drive
Deep River, CT 06417

860-526-8364 office
860-388-7866 cell
859-357-6599 FAX

"Smith, Charles" <Charlie.Smith@bsci.com>

12/06/2010 09:15 AM

Kenneth G Penkala/Corp Accts/ADC/Ashland@Ashland, "Ciulla, Ron" <Ron.Ciulla@bsci.com>

To

cc

Subject

RE: URGENT: Marlex Replacement

Please work with Ron as I will be travleing starting tomorrow and not back till Friday. We can discuss today via phone, if you have time!!

From: Smith, Charles
Sent: Monday, December 06, 2010 9:14 AM
To: 'Kenneth G Penkala'; Ciulla, Ron
Cc: Charest, Ann
Subject: RE: URGENT: Marlex Replacement
Importance: High

this is implant!!

From: Kenneth G Penkala [mailto:kgpenkala@ashland.com]
Sent: Monday, December 06, 2010 9:11 AM
To: Smith, Charles
Cc: Charest, Ann; Ciulla, Ron
Subject: RE: URGENT: Marlex Replacement

Charlie

Ann sent you to the right place- I think we can help you out. Take a look at Flint Hills P4G3Z-050F . I am available later this week for a visit if you want to review your applic. etc and get this moving. Let me know?

Ken

Ann

thks

Ken

I am available as needed, this is hot for my group

thks

Charles Smith, PMP®
R&D Director - Development/Sustaining

BSC Urology & Women's Health
100 Boston Scientific way
Mail stop M-50
Marlborough, MA 01752
(P) 508 683-6030
(F) 508 683 5023
(cell) 978 671-4495

From: Charest, Ann
Sent: Monday, December 06, 2010 8:50 AM
To: kgpenkala@ashland.com
Cc: Smith, Charles
Subject: URGENT: Marlex Replacement
Importance: High

Ken,

We need a replacement pronto for Marlex HGX-030-01 stat! Can you/Ashland recommend an alternate material? I've included contact information for Charlie Smith who is the R&D Director for Urology & Women's Health. Please copy me on your response, but Charlie is the technical contact and things will move more quickly if the two of you connect directly.
Thanks for your help.

Ann

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system, and notify us that you received it in error. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.

This e-mail contains information which may be privileged, confidential, proprietary, trade secret and/or otherwise legally protected. If you are not the intended recipient, please do not distribute this e-mail. Instead, please delete this e-mail from your system, and notify us that you received it in error. No waiver of any applicable privileges or legal protections is intended (and nothing herein shall constitute such a waiver), and all rights are reserved.