

From: McCaslin, Todd
Sent: 08/04/2011 06:22:34 AM
To: Vialle, George
CC: Batz, Helge (STP); Schwartz, Scott (STP); Kelly, Mike (Marlboro); Pedersen, John
Subject: RE: PSPC HGX-03-01
Attachments: RE marlex grade of polypropylene.msg; Sr. Staff Update Resin Replacement 7-27-11.ppt.msg

George,
See attached communication from 7/26 that you received.
Should not have been new to you.
This was also communicated in John Pedersen's staff by Al.
I know there are many communications going on and it is tough to follow.
Please contact me if you have any questions
Todd

Todd McCaslin
Global Sourcing Director
Boston Scientific Corporation
(508) 650-8337
mccaslit@bsci.com
(339) 223 - 2426 (cell)

From: Vialle, George
Sent: Thursday, August 04, 2011 9:06 AM
To: McCaslin, Todd
Cc: Batz, Helge (STP); Schwartz, Scott (STP); Kelly, Mike (Marlboro); Pedersen, John
Subject: FW: PSPC HGX-03-01

Todd,
Did you know that the 1300 lbs recently procured is not usable? This is news to me. At present we have no additional resin beyond what was purchased 5 years ago.

George

From: Smith, Charles
Sent: Thursday, August 04, 2011 9:01 AM
To: Vialle, George
Cc: Wheeler, Mitch; Gardner, Donna
Subject: RE: PSPC HGX-03-01

I can, it isn't.



From: Vialle, George
Sent: Thursday, August 04, 2011 9:00 AM
To: Smith, Charles
Cc: Wheeler, Mitch; Gardner, Donna
Subject: RE: PSPC HGX-03-01

Charlie,

Are you saying that the 1300 lbs is not the right HGX-03-01? I had not heard that. Who can confirm?

George

From: Smith, Charles
Sent: Thursday, August 04, 2011 8:45 AM
To: Vialle, George
Cc: Wheeler, Mitch; Gardner, Donna
Subject: RE: PSPC HGX-03-01

George

We are in process to purchase from China, I have not heard back from Todd. Can test when I hear back and we have it on way over.

The other resin was wrong type of Marlex found in states a few weeks back. Last I new we were not using this.

China of custody, I have to follow-up with Mitch. From emails I have seen, the China material was procured in rail car, repacked, and we do not have the C of C C yet.

Charlie

From: Vialle, George
Sent: Thursday, August 04, 2011 8:38 AM
To: Smith, Charles
Cc: Wheeler, Mitch; Gardner, Donna
Subject: FW: PSPC HGX-03-01

Charlie,

Do you know the status of the 1300 lbs of resin we have purchased? has it been tested to verify it is the same Marlex HGX-03-01 from Phillips? I thought 600 of the 1300 lbs had flecks/particles mixed in - would this be usable even if it is the HGX-03-01? Who is doing the testing and when? Are there any chain of custody issues that would make us question using the material?

thanks,
George